

# Passwort Manager

## Vaultwarden (Bitwarden)

du möchtest deine Passwörter speichern und bei dir daheim lokal verwalten?


Welche Vorteile bietet Vaultwarden:

- Unterstützung für ziemlich jedes Endgerät (beim iPhone kann sogar der Schlüsselbund damit ersetzt werden)
- dauerhaft synchron auf allen Endgeräten
- Möglichkeit der Sicherung von kleinen Dateien z.B. Sicherheitsschlüssel o.ä.
- Automatisch ausfüllen
- .....

Die Installation ist denkbar einfach.

### Installation

- öffne deinen Addon Store in Homeassistant
- starte das Addon und überprüfe das Protokoll



- behebe ggf. dort angezeigte Fehler

```
/-----/
|               Starting Vaultwarden
|               Version 1.27.0
|-----|
| This is an *unofficial* Bitwarden implementation, DO NOT use the
| official channels to report bugs/features, regardless of client.
| Send usage/configuration questions or feature requests to:
|   https://vaultwarden.discourse.group/
| Report suspected bugs/issues in the software itself at:
|   https://github.com/dani-garcia/vaultwarden/issues/new
|-----|
[INFO] No .env file found.
[14:02:04] FATAL:
[14:02:04] FATAL: SSL has been enabled using the 'ssl' option,
[14:02:04] FATAL: this requires a SSL certificate file which is
[14:02:04] FATAL: configured using the 'certfile' option in the
[14:02:04] FATAL: add-on configuration.
[14:02:04] FATAL:
[14:02:04] FATAL: Unfortunately, the file specified in the
[14:02:04] FATAL: 'certfile' option does not exists.
[14:02:04] FATAL:
[14:02:04] FATAL: Please ensure the certificate file exists and
[14:02:04] FATAL: is placed in the '/ssl/' directory.
[14:02:04] FATAL:
[14:02:04] FATAL: In case you don't have SSL yet, consider getting
[14:02:04] FATAL: a SSL certificate or setting the 'ssl' option
[14:02:04] FATAL: to 'false' in case you are not planning on using
[14:02:04] FATAL: SSL with this add-on.
[14:02:04] FATAL:
[14:02:04] FATAL: Check the add-on manual for more information.
[14:02:04] FATAL:
```

Hier kannst du mit einem Reverse Proxy wie z.B. Nginx Proxy Manager oder Cloudflare eine Subdomain mit Zertifikat erstellen und deinen BW damit aufrufen.

- Notiere dir deine Daten

Please, share the above information when looking for help or support in, e.g., Github, forums or the Discord chat.

```
s6-rc: info: service base-addon-banner successfully started
s6-rc: info: service fix-attrs: starting
s6-rc: info: service base-addon-timezone: starting
s6-rc: info: service base-addon-log-level: starting
s6-rc: info: service fix-attrs successfully started
[14:12:03] INFO: Configuring timezone (Europe/Berlin)...
s6-rc: info: service base-addon-log-level successfully started
s6-rc: info: service base-addon-timezone successfully started
s6-rc: info: service legacy-cont-init: starting
s6-rc: info: service legacy-cont-init successfully started
s6-rc: info: service init-nginx: starting
s6-rc: info: service vaultwarden: starting
s6-rc: info: service vaultwarden successfully started
[14:12:04] INFO:
[14:12:04] INFO:
[14:12:04] INFO: READ THIS CAREFULLY! READ THIS CAREFULLY!
[14:12:04] INFO:
[14:12:04] INFO: This is your temporary random admin token/password!
[14:12:04] INFO: OKbJYcqXc/R3i3WeHsU23VdcxZJx8mNsyoSxIDaQywkYkxVIXtIb+Nus3f4/iTa
[14:12:04] INFO:
[14:12:04] INFO: Be sure to change it in the admin panel, as soon as possible.
[14:12:04] INFO:
[14:12:04] INFO: After you have changed ANY setting in the admin panel,
[14:12:04] INFO: the add-on will NOT generate a new token on each start
[14:12:04] INFO: and stops showing this message.
[14:12:04] INFO:
s6-rc: info: service init-nginx successfully started
s6-rc: info: service nginx: starting
s6-rc: info: service nginx successfully started
s6-rc: info: service legacy-services: starting
s6-rc: info: service legacy-services successfully started
[14:12:04] INFO: Starting the Vaultwarden server...
/-----\
|           Starting Vaultwarden           |
|           Version 1.27.0                 |
|-----|
| This is an *unofficial* Bitwarden implementation, DO NOT use the |
| official channels to report bugs/features, regardless of client. |
| Send usage/configuration questions or feature requests to:      |
|   https://vaultwarden.discourse.group/                          |
| Report suspected bugs/issues in the software itself at:         |
|   https://github.com/dani-garcia/vaultwarden/issues/new          |
|-----|
```


DIESES PASSWORT WIRD DIR NICHT MEHR ANGEZEIGT DESHALB UNBEDINGT SICHER  
SPEICHERN

## Konfigurationsbeispiel

Jetzt öffnest du BW Admin (Bitwarden) über folgende Adresse:

http://[IPADRESSE-von-homeassistant]:7277/admin

Hier musst du das Passwort was du dir im letzten Schritt gespeichert hast eingetragen:

The screenshot shows the Vaultwarden Admin interface. At the top, there's a dark header with the 'Vaultwarden Admin' logo and the word 'Vault'. Below the header, a red banner displays the message 'Authentication key needed to continue' in white text, followed by 'Please provide it below:'. Underneath this message is a white input field with a dotted line indicating where to enter the key. A blue 'Enter' button is positioned at the bottom left of the input field.

Hier solltest du nun einmal alles durchgehen und deinen Wünschen entsprechend anpassen. Ich zeige dir hier was ich angepasst habe:

- Unter dem Reiter SMTP Email Settings habe ich einen Emailserver hinterlegt um 2FA zu nutzen
- Unter dem Reiter Email 2FA Settings die 2FA aktivieren
- Unter dem Reiter General Settings habe ich "Allow new signups" deaktiviert nachdem alle Familienmitglieder sich ein Konto erstellt hatten.
- Unter dem Reiter General Settings noch meine Domain URL angepasst auf meinen im Cloudflare hinterlegte Subdomain

Jetzt kannst du Anfangen dir ein Konto zu erstellen!

Revision #1

Created 26 March 2023 11:57:01 by Cryd

Updated 3 January 2024 03:56:46 by Cryd